

B57

REPUBLIC OF SOUTH AFRICA
PATENTS ACT, 1978
PUBLICATION PARTICULARS AND ABSTRACT
[Section 32 (3) (a) - Regulations 22 (1) (g) and 31]

| | | |
|--------------------------|----|----------------------|
| OFFICIAL APPLICATION NO. | | |
| 21 | 01 | 20000857 20000857 |

| | |
|--------------|------------|
| LODGING DATE | |
| 22 | 22/02/2000 |

| | |
|-----------------|-----------|
| ACCEPTANCE DATE | |
| 43 | 31-5-2001 |

| | |
|------------------------------|------|
| INTERNATIONAL CLASSIFICATION | |
| 51 | A61K |

| |
|---------------------|
| Not for publication |
| Classified by: |
| |

| | |
|------------------------------|--|
| FULL NAME(S) OF APPLICANT(S) | |
|------------------------------|--|

| | |
|----|------------------|
| 71 | MARX, Anna-Susan |
|----|------------------|

| | |
|-----------------------------|--|
| FULL NAME(S) OF INVENTOR(S) | |
|-----------------------------|--|

| | |
|----|------------------|
| 72 | MARX, Anna-Susan |
|----|------------------|

| | | | |
|---------------------------|---------|-------------|---------------|
| EARLIEST PRIORITY CLAIMED | COUNTRY | NUMBER | DATE |
| 33 | ZA | 31 99/01088 | 32 11/02/1999 |

| | |
|--------------------|--|
| TITLE OF INVENTION | |
|--------------------|--|

| | |
|----|----------------------------|
| 54 | PHARMACEUTICAL COMPOSITION |
|----|----------------------------|

| | |
|----|---|
| 57 | Abstract (not more than 150 words) and figure of the drawings to which the abstract refers, are attached. |
|----|---|

| | |
|------------------|----|
| Number of sheets | 26 |
|------------------|----|

20000857

ABSTRACT

The invention provides a pharmaceutical composition including at least three of the following ingredients:

Hypoxis (African potato), comfrey (*symphytum officinale*), stinging nettle (*urtica dioica*), wheat germ oil, tea tree oil, Kopiva (*bulbine*), Beukes bush (*lippia Scaberrima*), bergamot oil (*monarda didyma*), Eucomis, rosemary, eucalyptus oil, Agave, devil's claw (*Harpagophytum*), lavender, ginger, capsicum, peppermint oil, Datura (*Silybun marianum*), soap bush (*Noltia africana*), aloe and geranium oil. The composition may be in the form of a cream for topical application to the skin, in the form of a powder or in the form of a shampoo.

PHARMACEUTICAL COMPOSITION

FIELD OF THE INVENTION

This invention relates to a pharmaceutical composition. More particularly, the invention relates to a composition suitable for the treatment of skin conditions such as skin cancer, sores, acne, burn wounds, shingles, insect bites and the like. The invention furthermore relates to a composition suitable for the treatment of pain and sinus-related problems.

SUMMARY OF THE INVENTION

According to a first embodiment of the invention there is provided a pharmaceutical composition suitable for the treatment of skin conditions such as skin cancer, sores, acne, burn wounds, shingles, insect bites and the like, the pharmaceutical composition including at least the following ingredients: Hypoxis (African potato), comfrey (*symphytum officinale*), stinging nettle (*urtica dioica*), wheat germ oil, tea tree oil, Kopiva (*bulbine*) and Beukes bush (*lippia Scaberrima*).

Bergamot oil (*monarda didyma*) may also be included in the composition.

The proportions of the ingredients may be as follows:

| | |
|-----------------|-----------|
| Hypoxis | 10% – 80% |
| comfrey | 5% - 60% |
| Kopiva | 1% - 40% |
| Beukes bush | 1% - 30% |
| stinging nettle | 1% - 35% |
| wheat germ oil | 1% - 30% |
| tea tree oil | 1% -35% |
| bergamot oil | 1% – 20% |

More particularly, the composition of the pharmaceutical composition may be as follows:

| | |
|-----------------|-----|
| Hypoxis | 31% |
| comfrey | 23% |
| stinging nettle | 14% |
| Kopiva | 14% |
| wheat germ oil | 6% |
| tea tree oil | 6% |
| Beukes bush | 6% |

The above ingredients may be added to an aqueous cream base to form the composition, or any other suitable cream base such that the composition is suitable for topical application to the skin.

According to a second embodiment of the invention, there is provided a pharmaceutical composition suitable for the treatment of skin conditions such as skin cancer, sores, acne, burn wounds, shingles, insect bites and the like, the pharmaceutical composition including at least the following ingredients:

Hypoxis, comfrey and Eucomis (*Eucomis undulata*), also commonly referred to as pineapple flower or amatunka.

The composition may further include Kopiva and/or Beukes bush.

The proportions of the ingredients may be as follows:

Hypoxis (10% - 80%), comfrey(5% - 80%), Eucomis (50% - 80%),
Kopiva (1% - 40%) and/or Beukes bush (1% - 30%).

More preferably, the composition of the pharmaceutical composition may be as follows:

| | |
|-------------|-----|
| Hypoxis | 45% |
| comfrey | 4% |
| Eucomis | 45% |
| Kopiva | 3% |
| Beukes bush | 6% |

The above ingredients may be added to an aqueous cream base to form the composition, or any other suitable cream base such that the composition is suitable for topical application to the skin.

According to a third embodiment of the invention there is provided a pharmaceutical composition for alleviating pain, the composition including at least the following ingredients:

rosemary, eucalyptus oil, Agave and devil's claw (*Harpagophytum*).

The composition may further include Eucomis and lavender.

The proportions of the ingredients may be as follows:

rosemary(5% - 80%), devil's claw (2% - 10%), Eucomis(10% - 50%), lavender (20% - 30%), Agave (2% - 30%) and eucalyptus oil (20% - 60%).

More preferably, the composition of the pharmaceutical composition may be as follows:

| | |
|----------------|-----|
| rosemary | 39% |
| devil's claw | 5% |
| Eucomis | 7% |
| lavender | 15% |
| Agave | 15% |
| eucalyptus oil | 19% |

The ingredients may be added to an aqueous cream base to form the composition, or any other suitable cream base such that the composition is suitable for topical application to the skin.

According to a fourth embodiment of the invention there is provided a pharmaceutical composition for alleviating pain, the composition including at least the following ingredients:

rosemary, Agave, devil's claw (*Harpagophytum*), Eucomis, lavender, ginger, capsicum and peppermint oil.

The composition of the pharmaceutical composition may be as follows:

| | |
|----------------|-----|
| rosemary | 24% |
| devil's claw | 3% |
| Eucomis | 4% |
| lavender | 8% |
| Agave | 8% |
| ginger | 21% |
| capsicum | 18% |
| peppermint oil | 14% |

The ingredients may be added to an aqueous cream base to form the composition, or any other suitable cream base such that the composition is suitable for topical application to the skin.

According to a fifth embodiment of the invention there is provided a pharmaceutical composition for alleviating sinus-related conditions, the pharmaceutical composition including at least the following ingredients:

Beukes bush, *Datura (Silybun marianum)*, eucalyptus oil and stinging nettle.

The proportions of the ingredients may be as follows:

Beukes bush (20% – 70%), Datura (20% – 80%), eucalyptus oil (1% – 30%), and stinging nettle (10% – 60%).

More preferably, the composition of the pharmaceutical composition may be as follows:

| | |
|-----------------|-----|
| Beukes bush | 27% |
| Datura | 23% |
| eucalyptus oil | 27% |
| stinging nettle | 23% |

The ingredients may be crushed or ground to form a powder.

According to a sixth embodiment of the invention, there is provided a pharmaceutical composition which includes:

soap bush (*noltia africana*), aloe, Hypoxis, rosemary, comfrey, stinging nettle, Beukes bush, Kopiva, bergamot oil and geranium oil.

The composition of the pharmaceutical composition may be as follows:

| | |
|-----------|-----|
| soap bush | 11% |
| aloe | 1% |
| Hypoxis | 16% |
| rosemary | 13% |
| comfrey | 5% |

| | |
|-----------------|-----|
| stinging nettle | 18% |
| Beukes bush | 13% |
| Kopiva | 11% |
| bergamot oil | 8% |
| geranium oil | 4% |

DETAILED DESCRIPTION OF THE INVENTION

The invention will now be described further with reference to the following examples.

Example 1

The following ingredients are used in order to prepare a topical pharmaceutical composition suitable for treatment of skin conditions such as skin cancer, sores, acne, burn wounds, shingles, insect bites and the like:

| | |
|-----------------|------------|
| Hypoxis | 31 % |
| Comfrey | 23 % |
| Stinging nettle | 14 % |
| Kopiva | 14 % |
| Wheat germ oil | 6 % |
| Tea tree oil | 6 % |
| Beukes bush | <u>6 %</u> |
| | 100 % |

The Hypoxis, comfrey, stinging nettle, Kopiva and stinging nettle are added to an earthenware pot and sufficient cold water is added to the pot to cover the ingredients. The water is then brought to the boils, and is then simmered at approximately 98 °C for 1 hour.

The mixture is removed from the heat and is allowed to stand, typically for 6 or more hours to allow the mixture to cool and to draw. The liquid is then drained from the mixture, and the remaining solid portion is discarded.

The drained liquid is blended with aqueous cream until the blended cream has a uniform colour and smooth consistency. The wheat germ oil and tea tree oil are then added to the cream and mixed together.

It is also possible for the oil-based ingredients to be added to the drained liquid prior to addition of the aqueous cream base.

Example 2

The following ingredients are used in order to prepare a topical pharmaceutical composition suitable for the treatment of skin conditions such as skin cancer, sores, acne, burn wounds, shingles, insect bites and the like:

| | |
|-------------|------------|
| Hypoxis | 45 % |
| Comfrey | 4 % |
| Kopiva | 3 % |
| Eucomis | 45 % |
| Beukes bush | <u>6 %</u> |
| | 100 % |

The Hypoxis, comfrey, Eucomis, Kopiva and Beukes bush are added to an earthenware pot, and thereafter the preparation procedure as described in Example 1 is followed.

Example 3

The following ingredients are used in order to prepare a topical pharmaceutical composition suitable for the treatment of pain:

| | |
|----------------|-------------|
| Rosemary | 39 % |
| Devil's claw | 5 % |
| Eucomis | 7 % |
| Lavender | 15 % |
| Eucalyptus oil | 19 % |
| Agave | <u>15 %</u> |
| | 100 % |

The rosemary, devil's claw, Eucomis, lavender and Agave are added to an earthenware pot, and thereafter the preparation procedure as described in Example 1 is followed, with the exception that eucalyptus oil is used as a substitute for both the wheat germ and tea tree oils.

Example 4

The following ingredients are used in order to prepare a topical pharmaceutical composition suitable for the treatment of pain:

| | |
|----------|------|
| Rosemary | 24 % |
|----------|------|

| | |
|----------------|------------|
| Devil's claw | 53% |
| Eucomis | 4 % |
| Lavender | 8 % |
| Ginger | 21 % |
| Capsicum | 18 % |
| Peppermint oil | 19 % |
| Agave | <u>8 %</u> |
| | 100 % |

The rosemary, devil's claw, Eucomis, lavender, ginger, capsicum and Agave are added to an earthenware pot, and thereafter the preparation procedure as described in Example 1 is followed, with the exception that peppermint oil is used as a substitute for both the wheat germ and tea tree oils.

Example 5

The following ingredients are used to prepare a pharmaceutical composition suitable for treatment of sinus-related conditions:

| | |
|-----------------|-------------|
| Beukes bush | 27 % |
| Datura | 23 % |
| Eucalyptus oil | 27 % |
| Stinging nettle | <u>23 %</u> |
| | 100 % |

The dry ingredients are ground into powder form, and the eucalyptus oil is added to the powdered mixture.

Example 6

The following ingredients are used in order to prepare a topical pharmaceutical application in the form of a shampoo:

| | |
|-----------------|-----|
| soap bush | 11% |
| aloe | 1% |
| Hypoxis | 16% |
| rosemary | 13% |
| comfrey | 5% |
| stinging nettle | 18% |
| Beukes bush | 13% |
| Kopiva | 11% |
| bergamot oil | 8% |
| geranium oil | 4%. |

The invention is not limited to the precise constructional details as hereinbefore described. For example, it is possible that other ingredients may also be added to the pharmaceutical composition, for example, in order to add to the colour and/or aroma of the composition.

The inventor believes that the invention is advantageous in that it provides a pharmaceutical composition which includes only natural ingredients and which is cost-effective.

CLAIMS

1. A pharmaceutical composition which includes at least the following ingredients:

Hypoxis (hypoxis), comfrey (*symphytum officinale*), stinging nettle (*urtica dioica*), wheat germ oil , tea tree oil, Kopiva (bulbine) and Beukes bush.

2. A pharmaceutical composition as claimed in claim 1, which further includes bergamot oil (*monarda didyma*).

3. A pharmaceutical composition as claimed in either one of claims 1 or 2, wherein the percentages of the ingredients in the composition are :
Hypoxis (10% – 80%); comfrey (5% - 60%); Kopiva (1% - 40%);
Beukes bush (1% - 30%); stinging nettle (1% - 35%); wheat germ oil (1% - 30%); tea tree oil (1% -35%); and optionally bergamot oil (1% – 20%).

4. A pharmaceutical composition as claimed in claim 3, which includes:

| | |
|-----------------|-----|
| Hypoxis | 31% |
| comfrey | 23% |
| stinging nettle | 14% |
| Kopiva | 14% |
| wheat germ oil | 6% |
| tea tree oil | 6% |
| Beukes bush | 6%. |

5. A pharmaceutical composition as claimed in any one of claims 1 to 4, wherein a suitable cream is used as a base.
6. A pharmaceutical composition as claimed in any one of claims 1 to 5, which is suitable for topical application.
7. The use of Hypoxis, comfrey, stinging nettle, wheat germ oil , tea tree oil, Kopiva and Beukes bush for the manufacture of a medicament for the treatment of skin conditions such as skin cancer, sores, acne, burn wounds, shingles, insect bites and the like.
8. A pharmaceutical composition for the treatment of skin conditions such as skin cancer, sores, acne, burn wounds, shingles, insect bites and the like, including a pharmaceutically effective concentration of at least one of Hypoxis, comfrey, stinging nettle, wheat germ oil , tea tree oil, Kopiva and Beukes bush together with a suitable diluent, excipient or auxiliary.
9. A composition as claimed in any one of claims to 1 to 6 and 8 whenever supplied with instructions for the use thereof in the treatment of skin conditions such as skin cancer, sores, acne, burn wounds, shingles, insect bites and the like.

10. A composition as claimed in claim 9 when the instructions are in printed or written form.
11. A composition as claimed in claim 10 supplied in a package or container having the said instructions provided therein or thereon.
12. A pharmaceutical composition which includes at least the following ingredients:
Hypoxis, comfrey and pineapple flower or amatunka (*Eucomis undulata*).
13. A pharmaceutical composition as claimed in claim 12, which includes Kopiva.
14. A pharmaceutical composition as claimed in either of claims 12 or 13, which includes Beukes bush.
15. A pharmaceutical composition as claimed in any one of claims 12 to 14, wherein the percentages of the ingredients are:
Hypoxis (10% - 80%), comfrey(5% - 80%), Eucomis (50% - 80%) and optionally Kopiva (1% - 40%) and Beukes bush (1% - 30%).
16. A pharmaceutical composition as claimed in claim 15, which includes:
- | | |
|---------|-----|
| Hypoxis | 45% |
| comfrey | 4% |

| | |
|-------------|-----|
| Eucomis | 45% |
| Kopiva | 3% |
| Beukes bush | 6%. |

17. A composition as claimed in any one of claims 12 to 16, wherein a suitable cream is used as a base.
18. A pharmaceutical composition as claimed in any one of claims 12 to 17, which is suitable for topical application.
19. The use of Hypoxis, comfrey, Eucomis, Kopiva and Beukes bush for the manufacture of a medicament for the treatment of skin conditions such as skin cancer, sores, acne, burn wounds, shingles, insect bites and the like.
20. A pharmaceutical composition for the treatment of skin conditions such as skin cancer, sores, acne, burn wounds, shingles, insect bites and the like, including a pharmaceutically effective concentration of at least one of Hypoxis, comfrey, Eucomis, Kopiva and Beukes bush together with a suitable diluent, excipient or auxiliary.
21. A composition as claimed in any one of claims 12 to 18 and 20 whenever supplied with instructions for the use thereof in the treatment of skin conditions such as skin cancer, sores, acne, burn wounds, shingles, insect bites and the like.

22. A composition as claimed in claim 21 when the instructions are in printed or written form.
23. A composition as claimed in claim 22 supplied in a package or container having the said instructions provided therein or thereon.
24. A pharmaceutical composition which includes at least the following ingredients:
rosemary, eucalyptus oil, Agave and devil's claw.
25. A pharmaceutical composition as claimed in claim 24, which further includes Eucomis and lavender.
26. A pharmaceutical composition as claimed in either of claims 24 or 25, wherein the percentages of the ingredients in the composition are:
rosemary(5% - 80%), devil's claw (2% - 10%), Eucomis(10% - 50%), lavender (20% - 30%), Agave (2% - 30%) and eucalyptus oil (20% - 60%).
27. A pharmaceutical composition as claimed in claim 26, which includes:
- | | |
|----------------|------|
| rosemary | 39% |
| devil's claw | 5% |
| Eucomis | 7% |
| lavender | 15% |
| Agave | 15% |
| eucalyptus oil | 19%. |

28. A composition as claimed in any one of claims 24 to 27, wherein a suitable cream is used as a base.
29. A pharmaceutical composition as claimed in any one of claims 24 to 28, which is suitable for topical application.
30. The use of rosemary, eucalyptus oil, Agave, devil's claw, Eucomis and lavender for the manufacture of a medicament for the treatment of pain.
31. A pharmaceutical composition for the treatment of pain, including a pharmaceutically effective concentration of at least one of rosemary, eucalyptus oil, Agave, devil's claw, Eucomis and lavender together with a suitable diluent, excipient or auxiliary.
32. A composition as claimed in any one of claims 24 to 29 and 31 whenever supplied with instructions for the use thereof in the treatment of pain.
33. A composition as claimed in claim 32 when the instructions are in printed or written form.
34. A composition as claimed in claim 33 supplied in a package or container having the said instructions provided therein or thereon.

35. A pharmaceutical composition which includes at least the following ingredients:
Beukes bush, Datura, eucalyptus oil and stinging nettle.
36. A pharmaceutical composition as claimed in claim 35, wherein the percentages of the ingredients in the composition are:
Beukes bush (20% – 70%), Datura (20% – 80%), eucalyptus oil (1% – 30%), and stinging nettle (10% – 60%).
37. A pharmaceutical composition as claimed in claim 36, which includes:
- | | |
|-----------------|------|
| Beukes bush | 27% |
| Datura | 23% |
| eucalyptus oil | 27% |
| stinging nettle | 23%. |
38. A pharmaceutical composition as claimed in any one of claims 35 to 37, which is in the form of a powder.
39. The use of Beukes bush, Datura, eucalyptus oil and stinging nettle for the manufacture of a medicament for the treatment of sinus-related conditions.
40. A pharmaceutical composition for the treatment of sinus-related conditions, including a pharmaceutically effective concentration of at least one of Beukes bush, Datura, eucalyptus oil and stinging nettle together with a suitable diluent, excipient or auxiliary.

41. A composition as claimed in any one of claims 35 to 38 and 40 whenever supplied with instructions for the use thereof in the treatment of sinus-related conditions.

42. A composition as claimed in claim 41 when the instructions are in printed or written form.

43. A composition as claimed in claim 42 supplied in a package or container having the said instructions provided therein or thereon.

44. A pharmaceutical composition for alleviating pain, the composition including at least the following ingredients:
rosemary, Agave, devil's claw (*Harpagophytum*), Eucomis, lavender, ginger, capsicum and peppermint oil.

45. A pharmaceutical composition as claimed in claim 44, which includes:

| | |
|----------------|------|
| rosemary | 24% |
| devil's claw | 3% |
| Eucomis | 4% |
| lavender | 8% |
| Agave | 8% |
| ginger | 21% |
| capsicum | 18% |
| peppermint oil | 14%. |

46. A pharmaceutical composition as claimed in either of claims 44 or 45, wherein a suitable cream is used as a base.
47. A pharmaceutical composition as claimed in any one of claims 44 to 46, which is suitable for topical application.
48. The use of rosemary, eucalyptus oil, Agave, devil's claw, Eucomis and lavender for the manufacture of a medicament for the treatment of pain.
49. A pharmaceutical composition for the treatment of pain, including a pharmaceutically effective concentration of at least one of rosemary, eucalyptus oil, Agave, devil's claw, Eucomis and lavender together with a suitable diluent, excipient or auxiliary.
50. A composition as claimed in any one of claims 44 to 47 and 49 whenever supplied with instructions for the use thereof in the treatment of pain.
51. A composition as claimed in claim 50 when the instructions are in printed or written form.
52. A composition as claimed in claim 51 supplied in a package or container having the said instructions provided therein or thereon.

53. A pharmaceutical composition which includes at least the following ingredients:

soap bush (*noltia africana*), aloe, Hypoxis, rosemary, comfrey, stinging nettle, Beukes bush, Kopiva, bergamot oil and geranium oil.

54. A pharmaceutical composition as claimed in claim 53, which includes:

| | |
|-----------------|-----|
| soap bush | 11% |
| aloe | 1% |
| Hypoxis | 16% |
| rosemary | 13% |
| comfrey | 5% |
| stinging nettle | 18% |
| Beukes bush | 13% |
| Kopiva | 11% |
| bergamot oil | 8% |
| geranium oil | 4%. |

55. A pharmaceutical composition as claimed in either of claims 53 or 54, which is in the form of a shampoo.

56. A shampoo which includes at least the following ingredients:

soap bush, aloe, Hypoxis, rosemary, comfrey, stinging nettle, Beukes bush, Kopiva, bergamot oil and geranium oil.

57. A shampoo as claimed in claim 56, which includes:

| | |
|-----------------|-----|
| soap bush | 11% |
| aloe | 1% |
| Hypoxis | 16% |
| rosemary | 13% |
| comfrey | 5% |
| stinging nettle | 18% |
| Beukes bush | 13% |
| Kopiva | 11% |
| bergamot oil | 8% |
| geranium oil | 4%. |

58. A pharmaceutical composition as claimed in any one of claims 1 to 6 and 8 to 11, substantially as hereinbefore described and exemplified.

59. Use as claimed in claim 7, substantially as hereinbefore described and exemplified.

60. A pharmaceutical composition as claimed in any one of claims 12 to 18 and 20 to 23, substantially as hereinbefore described and exemplified.

61. Use as claimed in claim 19, substantially as hereinbefore described and exemplified.

62. A pharmaceutical composition as claimed in any one of claims 24 to 29 and 31 to 34, substantially as hereinbefore described and exemplified.
63. Use as claimed in claim 30, substantially as hereinbefore described and exemplified.
64. A pharmaceutical composition as claimed in any one of claims 35 to 38 and 40 to 43, substantially as hereinbefore described and exemplified.
65. Use as claimed in claim 39, substantially as hereinbefore described and exemplified.
66. A pharmaceutical composition as claimed in any one of claims 44 to 47 and 49 to 52, substantially as hereinbefore described and exemplified.
67. Use as claimed in claim 48, substantially as hereinbefore described and exemplified.
68. A pharmaceutical composition as claimed in any one of claims 53 to 55, substantially as hereinbefore described and exemplified.
69. A shampoo as claimed in any one of claims 56 to 57, substantially as hereinbefore described and exemplified.

70. A pharmaceutical composition or shampoo including any new and inventive integer or combination of integers, substantially as herein described.

DATED THIS 22nd DAY OF FEBRUARY 2000

S. L. Chell - cl
HAHN & HAHN INC.
Agent for Applicant

L4* ANSWER 28 OF 28 CA COPYRIGHT 2010 ACS on STN
AB Humulone (I). [26472-41-3] and lupulone (II) [468-28-0] are
isolated from hops as antidiabetics. Procedures for the extraction of I and II
from hops using MeOH, ether, hexane, and petroleum ether were described.
I or II (200 mg/kg, orally) given to rats with streptozotocin-induced
diabetes decreased blood sugar >50% in 6 h.

AN 101:28267 CA

CREP 101:4397a,4400a

TI Humulone and lupulone as antidiabetics from hops

PA Daigo Nutritive Chemicals, Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 4 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

| | PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|-------|----------------|------|----------|-----------------|----------|
| PI | JP 59059623 | A | 19840405 | JP 1982-170277 | 19820929 |
| PRAI | JP 1982-170277 | | 19820929 | | |
| OSC.C | 2 | | | | |

THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS)

=> d his,